

# SAFETY DATA SHEET



# PHOENIX<sup>®</sup>

Issue Date: May 2012

Revision 3.0 Date: 01/08/2019


## 1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

### PX HD COOLANT LONG LIFE BLUE

**Code** : HDCOOLLLB  
**Use** : Coolant  
**Name** : Phoenix Lubricants Pty Ltd (ABN 41 820 770 617)  
**Address** : 2 Paul Court, Dandenong Vic 3175  
**Telephone** : (03) 9791 7661  
**Facsimile** : (03) 9791 8831  
**Email** : info@phoenixlubricants.com.au  
**Web** : www.phoenixlubricants.com.au

## 2. HAZARD IDENTIFICATION

**HAZARDOUS CHEMICAL ACCORDING TO CRITERIA OF SAFE WORK AUSTRALIA  
NOT DANGEROUS GOODS FOR TRANSPORT ACCORDING TO AUSTRALIAN DANGEROUS GOODS CODE (ADGC)**

<b>GHS Hazard Class and Category</b>	Acute Toxicity (Oral) – Category 4
<b>Signal Word</b>	WARNING
<b>Pictograms</b>	Exclamation Mark 
<b>Hazard Statement</b>	H302 Harmful if swallowed
<b>Precautionary Statements</b>	P264 – Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P330 - Rinse mouth. P501 - Dispose of contents as hazardous waste.
<b>Poisons Schedule</b> :	Schedule 5 CAUTION

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

### INGREDIENTS:

Component	CAS No.	% Proportion
Ethylene glycol	107-21-1	>60%
Denatonium Benzoate	3437-33-6	<1%
Other ingredients classified as not hazardous according to Safe Work Australia Criteria		Balance

## 4. FIRST AID MEASURES

### REMOVE FROM EXPOSURE IF SAFE TO DO SO

- Swallowed (Oral) :** *Unlikely exposure route*
- Wash mouth with water
  - Give 2 glasses of water to drink
  - Do not induce vomiting
  - Seek immediate medical attention
- Eye :**
- Remove contact lenses
  - Hold eye open
  - Wash carefully for fifteen (15) minutes
  - Seek medical attention
- Skin (Dermal) :**
- Flush skin with water
  - Wash skin with soap and water
  - Remove contaminated clothing
  - Seek immediate medical attention if you feel unwell
- Inhalation :**
- Remove from exposure
  - Loosen/remove clothing
  - If breathing affected, clear airways
  - Move to fresh air
  - Seek immediate medical attention

### ADVICE TO DOCTOR

- Treat symptomatically with supportive care.
- For further information contact:

**AUSTRALIAN POISONS INFORMATION CENTRE  
24 HOUR SERVICE 13 11 26**

**NEW ZEALAND POISONS INFORMATION CENTRE  
24 HOUR SERVICE 0800 764 766**

## 5. FIRE FIGHTING MEASURES

- Hazchem Code :** Not allocated
- Fire & Explosive Properties :** C2 Combustible Liquid
- Suitable Extinguishing Media :** Choice of extinguishing media should be made by what other materials are present. Alcohol resistant foam.
- Hazards from Combustion Products :** Product is a mobile liquid. Oxides of carbon may be evolved after evaporation of all the water
- Precautions for Fire Fighters - Special Equipment :**
- Positive pressure self-contained breathing apparatus (SCBA) and protective suit
  - Protective fire fighting clothing

HAZCHEM Emergency Action Code			
FOR FIRE OR SPILLAGE			
1	COARSE SPRAY		
2	FINE SPRAY		
3	FOAM NORMAL PROTEIN		
4	DRY AGENT		
*	ALCOHOL RESISTANT		
P	V	LTS	DILUTE
R			
S	V	BA & FIRE KIT	
T			
W	V	LTS	CONTAIN
X			
Y	V	BA & FIRE KIT	
Z			
E	PUBLIC SAFETY HAZARD		

\* SEE LEGEND OVER

LEGEND	
<b>DRY AGENT</b>	Do not use water
<b>ALCOHOL RESISTANT FOAM *2 OR *3</b>	When * appears in front of 2 or 3 in Hazchem code use alcohol resistant foam if available
<b>V</b>	Substances can be violently or even explosively reactive, including combustion
<b>LTS</b>	Liquid-Tight Chemical Protective Suit with BA. Full FIRE KIT to also be worn for protection when: Liquid Oxygen Liquefied Toxic Gas (Division 2.3) Toxic Gas with sub-risk 2.1 or 5.1 Class or sub-risk 3 Division 5.1 PGI with sub-risk 6.1 or 8 transported at temperature >100°C
<b>DILUTE</b>	May be washed to drains with large quantities of water, consider EPA or Water Authority
<b>CONTAIN</b>	Prevent, by any means available, spillage from entering drains or water courses
<b>E</b>	People to be warned to stay indoors with all doors and windows closed. Evacuation may need to be considered. Joint Incident Control decision



## 6. ACCIDENTAL RELEASE MEASURES

- Spills or Leaks :**
- Restrict access to area until clean-up is completed
  - Wear PPE as per this SDS
  - Absorb / contain waste, use earth, vermiculite, inert material
  - Collect and seal in appropriate container
  - Label the container
  - Create bund
  - Do not contaminate surface waters- depletion of oxygen in the water will occur.
  - Observe regulatory reporting requirements (Incident Notification)
  - Protect drains from potential spills to minimise contamination. In the case of large spills contact the appropriate authorities.
- Disposal :**
- Dispose of in accordance with States, Local Government, EPA or related Regulations or Codes of Practice.

## 7. HANDLING AND STORAGE

- Precautions for Safe Handling :**
- Eye wash and safety shower to be available in the workplace.
  - Wear PPE as per this SDS
  - Compliant eyewash to be provided for external work.
  - Observe good personal hygiene practices.
  - Wash hands thoroughly after handling.
  - Avoid contact with skin and eyes.
  - Use only in well ventilated areas. Ensure Exposure Standard is not exceeded
  - Wear respiratory protection if vapours or spray or mist is present.
  - Report incidents.
  - No eating or drinking in the work area.
  - Remove contaminated clothing before entering eating areas.
- Conditions for Safe Storage :**
- Store away from food, drink and animal feedstuffs.
  - Store away from oxidising agents and strongly acid or alkaline materials.
  - Provide ventilation.
  - Separate or segregate from incompatibles (in accordance with regulatory requirements).
  - Avoid direct sunlight.
  - Keep protected from weather.
  - Provide spill kit.
- Container Type :**
- Store in original packaging as approved by manufacturer or regulatory direction.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### CONSTITUENT DATA

EXPOSURE STANDARD	Components	CAS-No.	Type	Value
	Ethylene Glycol Vapour	107-21-1	TWA	20 ppm, 52 mg/m <sup>3</sup>
			STEL	40 ppm, 120 mg/m <sup>3</sup>
	Ethylene Glycol Mist	107-21-1	TWA	10mg/m <sup>3</sup>

### ENGINEERING CONTROLS

- Use in a well ventilated area. Provide exhaust ventilation when exposure standard might be exceeded, for example sprayed material

---

## PERSONAL PROTECTION

---

- Eye Protection** : Wear safety glasses if there is risk of contact, in accordance with **AS/NZS1337, Eye protection for industrial applications**.
- Gloves** : Wear industrial nitrile gloves in accordance with **AS/NZS 2161.1 - Occupational protective gloves, selection, use and maintenance** where contact may occur.
- Clothing** : Wear body protective clothing and industrial footwear in accordance with **AS2919 - Industrial clothing**.
- Respiration** : Wear an approved respirator in accordance with **AS/NZS1715 - Selection, use and maintenance of respiratory protective devices** (when ventilation is inadequate)



Available



Side shields



PVC



Industrial



Non slip



Organic

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

- Appearance** : Orange liquid
- Odour** : None
- pH (33% sol'n)** : 9
- Vapour Pressure (kpa)** : N/A
- Vapour Density** : N/A
- Boiling Point** : N/A
- Freezing / Melting Point** : N/A
- Solubility in Water** : Soluble
- Solubility in Solvents** : N/A
- Density** : 1.1

---

## INFORMATION FOR FLAMMABLE MATERIALS

---

- Flash Point** : N/A
- Upper Explosive Limit** : N/A
- Lower Explosive Limit** : N/A
- Ignition Temperature** : N/A

---

## ADDITIONAL INFORMATION

---

- Specific Heat Value** : N/A
- Particle Size** : N/A
- VOC Content** : N/A
- Evaporation Rate** : N/A
- Kinematic Viscosity @ 40°C** : N/A
- Kinematic Viscosity@ 100°C** : N/A
- Octanol / Water Partition Coefficient** : N/A
- Saturation Vapour Concentration** : N/A
- Decomposition Temperature** : N/A
- Electrostatic Stability** : N/A
- Pour Point** : N/A
-

## 10. STABILITY AND REACTIVITY

- Chemical Stability** : Product is stable under normal conditions of use, storage and temperature.
- Incompatible Materials** : Incompatible with oxidising agents.
- Hazardous Decomposition Products** : Oxides of carbon.
- Hazardous Reactions** : This material is combustible after evaporation of the aqueous component.

## 11. TOXICOLOGICAL INFORMATION

### ACUTE HEALTH EFFECTS (IMMEDIATE OR WITHIN 14 DAYS - SHORT TERM)

- Swallowed (Oral)** : Harmful if swallowed. Swallowing large quantities may cause kidney damage. Irritation of the gastro-intestinal tract may occur with nausea and vomiting.
- Eye** : May cause mild irritation
- Skin (Dermal)** : May cause moderate irritation from prolonged exposure or to broken skin.
- Inhalation** : Not a likely route of exposure. Mists or vapours may be irritating to eyes, nose, throat and lungs.

### CHRONIC (MEDIUM OR LONG TERM)

- Contains mono ethylene glycol, which is harmful if swallowed. 100ml may be lethal to an adult. Repeated exposure to high doses by swallowing (animal studies) has caused kidney, liver and central nervous system damage.

### MIXTURE VERSUS INGREDIENT

- Not provided

### SUMMARY OF TOXICITY DATA

Component	CAS-No.	Data
Not provided		

### CARCINOGENICITY

- This product does not contain any substances that are listed as carcinogens.

### COMPOUNDING EFFECTS

- Not known

### FOR COOLANTS

#### USED COOLANTS

- Products resulting from the operation of the vehicle may contain other contaminants. Contact with all types and makes of coolant must therefore be avoided, and a high standard of personal hygiene maintained.

## 12. ECOLOGICAL INFORMATION

- Ecotoxicity** : No ecotoxicity studies have been done on this product
- Persistence / Degradability** : Readily biodegradable.
- Bio-accumulative Potential** : Does not bio-accumulate
- Environmental Fate (Exposure)** : Do not allow waste product to reach waterways, drains and sewers

Component	CAS-No.	Data
Not provided		

## 13. DISPOSAL CONSIDERATIONS

- Disposal Methods** :
- Special Precautions for Landfill or Incineration** : See Section 6.

## 14. TRANSPORT INFORMATION

- UN Number** : Not allocated
- UN Proper Shipping Name** : Not allocated
- Dangerous Goods Class and Subsidiary Risk** : Not allocated
- Packing Group** : Not allocated
- Hazchem Code** : Not allocated
- Special Precautions** : Not regulated under ADGC

## 15. REGULATORY INFORMATION (AUSTRALIA)

- Regulated under the SUSMP Poisons Standard as Schedule 5 for home use
- Workplace Exposure Standards for Atmospheric Contaminants [Safe Work Australia, April 2013]
- State and Territory Work Health and Safety/Occupational Health and Safety Regulations

## 16. OTHER INFORMATION

- References** : For detailed advice on personal protective equipment, refer to the following Australian Standards:
- HB9 (Handbook 9) Manual of industrial personal protection
  - AS/NZS 1337: Eye protectors for industrial applications
  - AS/NZS 1715: Selection, use and maintenance of respiratory devices
  - AS/NZS 1716: Respiratory protective devices

---

## CONTACT POINT

---

For information concerning details on this Safety Data Sheet, **Phoenix Lubricants Pty Ltd, 2 Paul Court, Dandenong Vic, (03) 9791 7661**

All reasonable care has been taken to ensure that the information and advice contained herein is accurate at the time of printing. However, Phoenix Lubricants Pty Ltd accepts no tortious or contractual liability for any loss or damages suffered as a consequence of reliance on the information and advice contained herein.

**Note:**

This SDS is derived from International and Australian data and is formatted generally in accordance with the Safe Work Australia Code of Practice. Modifications are not made to technical data except where terminology is unclear or additional information is required to satisfy Australian requirements.

---

### SOURCE FOR DATA

---

<b>MSDS Issue Date</b>	:	11/05/2012
<b>SDS Revision 3.0 Date</b>	:	01/08/2019
<b>Manufacturer / Supplier</b>	:	Phoenix Lubricants Pty Ltd

---