

Technical Data

TECHNICIAN SERIES

PX SYNTRANS M 75W-90

Product Description

PX SYNTRANS M 75W-90 is a fully synthetic high tech extreme pressure gear oil formulated to meet the most severe lubrication requirements of modern gearboxes, transfer/ drive cases and axles, especially those with hypoid gear sets.

Applications/ Benefits

PX SYNTRANS M 75W-90 will exhibit less deposit formation, less viscosity changes during operation and more stable performance in extreme pressure applications if compared with conventional gear oil. Furthermore, it will also provide much enhanced fuel economy and extended drain interval over other same visco-grade gear oils. Although it can be fully compatible with other gear oils, it is good practice not to, since it may reduce the advantages of PX SYNTRANS M 75W-90.

- Provides longer service life
- Reduces operating temperatures
- Superior load performance
- Low friction
- Excellent seal compatibility

Typical Characteristics

SAE Viscosity Grade	75W-90
Specific Gravity @ 15 deg. C	0.868
Flash Point	206 deg. C.
@ 40C (cSt)	82.92
@ 100 0 C (cSt)	14.51
Viscosity Index	183
Pour Point	-33 deg C.

Specifications

- API: GL5, GL6, MT-1
- SAE: 75W-90, J2360
- MACK: GO-J
- MERITOR
- SCANIA: STO 1:0
- ZF: TE-ML

The information contained in this Product Data Sheet is accurate at the time of printing and is subject to change without prior notice.



PHOENIX®

PHOENIX LUBRICANTS
2 Paul Court Dandenong Victoria 3175
Tel. +61 3 9791 7661

www.phoenixlubricants.com.au
Email: info@phoenixlubricants.com.au