

Technical Data

TECHNICIAN SERIES

PX TRANSMATIC LV

Product Description

PX Transmatic LV is low viscosity automatic transmission fluid designed to meet most makers' specifications for a full synthetic fluid.

The synthetic fluid based combined with superior additive technology, gives a product that provides exceptional low viscosity with improved low temperature performance, shear and friction stability.

Applications/ Benefits

PX Transmatic LV is premium service fill Automatic Transmission Fluid suitable for late model and imported vehicles. The most recent transmission requirements suggested that specialized fluid is required and specially formulated PX Transmatic LV meets new generation vehicle technology.

Typical Characteristics

Test Description	Result
Specific Gravity @ 15 0 C	0.845
Flash Point, Deg. C	198
Pour Point, Deg. C	-45
Kinematics Viscosity @ 40C (cSt)	26.72
Kinematics Viscosity @ 100 0 C (cSt)	5.66
Viscosity Index	160

Specifications

- AISIN WARNER: AW-1
- DEXRON VI
- HONDA: DW-1
- GM: P/N 88863400, 88863401
- LEXUS: WS
- MERCON SP, LV
- MERCEDES: 236.12, 236.14
- NISSAN/ INFINITY: MATIC S
- SHELL: M-1375.4, 3353, 134
- VW: G 055 005 (A, A2), G 055 540 (A2)
- TOYOTA: WS (JWS 3324)
- CHRYSLER: 68171866AA, 68171869AA
- BMW: P/N 83 22 0 397 114, 83 22 0 142 516
- FORD: NGF M2C919-D, M1375.4, XT-6-QSP, XT-10-QLV
- HYUNDAI: SP-IV, SPH-IV, NWS-9638 T-5
- LAND ROVER: P/N TYK5000050
- MASERATI: P/N 231603
- MAZDA: FZ
- MITSUBISHI: SP-IV, ATF J3
- PORSCHE: P/N 043 304 00
- SAAB: 93 165 147
- ZF: LIFE GUARD FLUID 6

The information contained in this Product Data Sheet is accurate at the time of printing and is subject to change without prior notice.



PHOENIX LUBRICANTS
2 Paul Court Dandenong Victoria 3175
Tel. +61 3 9791 7661

www.phoenixlubricants.com.au
Email: info@phoenixlubricants.com.au